



# RNAS 224-10S



ACME Portable's rugged network appliances are Gigabit Ethernet Layer 2 and Layer 3 access switches. They are built to be easy to deploy, manage, and troubleshoot.

# Technical Specifications

<b>PRODUCT</b>	<b>RNAS 224-10S</b>
<b>CPU</b>	APM86392 600 MHZ DUAL CORE
<b>MEMORY</b>	512 MB
<b>PORTS</b>	24X 10/100/1000 (POE+) + 4X GIGABIT SFP
<b>POWER SUPPLY</b>	120/230 V, 50/60 HZ
<b>WEIGHT</b>	33 LBS (15 KG)
<b>HUMIDITY</b>	(OPERATING) 10 - 95% (NON-CONDENSING), (STORAGE) 10 - 95% (NON-CONDENSING)
<b>TEMPERATURE</b>	(OPERATING) 23 °F ~ 113 °F
<b>STORAGE</b>	(STORAGE) -13 °F ~ 158 °F

\* The technical specifications are an example of the system's capabilities. They can be customized specifically for your needs. If you have any questions, feel free to contact one of our sales representatives.



## Headquarters - USA

ACME Portable Machines, Inc.  
1330 Mountain View Circle,  
Azusa, CA, 91702, USA  
Tel: +1 626.610.1888  
Fax: +1 626.610.1881  
[www.acmeportable.com](http://www.acmeportable.com)

## Germany

ACME Portable Computer GmbH  
Benzstraße 15,  
76185 Karlsruhe, Germany  
Tel: +49.721.570.4530  
Fax: +49.721.570.45329  
[www.acmeportable.de](http://www.acmeportable.de)

## Taiwan

ACME Portable Corp.  
5F, No 25, Wuquan 3rd Road,  
Wugu Dist., New Taipei City 248,  
Taiwan R.O.C  
Tel: +886.2.2298.3636  
Fax: +886.2.2298.3737  
[www.acmeportable.com.tw](http://www.acmeportable.com.tw)